

omnia



Omnia: the powerful, robust floor scrubber that can endure long cleaning sessions and heavy-duty applications



OMNIA 26 BT

Scrubbing version with disc brushes
Working width: 660 mm

OMNIA 32 BT

Scrubbing version with disc brushes
Working width: 830 mm

Details for a robust and reliable design to clean with ease



Easy-to-read and user-friendly instrument panel and ergonomic grip for better machine manoeuvrability.



On the machine rear are the controls for lifting and adjusting the scrubbing head as well as the levers for service and parking brakes. There are also two drain plugs on the recovery tank, one being larger for easier internal cleaning.



Details for a robust and reliable design to clean with ease



SUCTION MOTOR

The suction motor is vertically positioned. **In the recovery tank area there is a clear division between the suction filter and the squeegee inlet** whose shape has been designed in such a way to provide cyclonic performance effect of the air-flow

SOLUTION TANK

Without lifting the solution tank, the suction filter and the safety float can be removed for their cleaning through the upper opening



Details for a robust and reliable design to clean with ease

High brush pressure for excellent cleaning results



Convenient and quick daily maintenance helps to keep cleaning performance constant



SQUEEGEE ASSEMBLY

The squeegee assembly can oscillate to follow **every movement of the machine** so that perfect drying is ensured. Squeegee adjustment does not require any special tool and can be performed by the operator him/herself

BATTERY COMPARTMENT

The battery compartment is positioned at the **centre of the machine**, and it is integrated in the **tank's volume**. All around the batteries, the plastic materials are resistant to oxidizing vapours so that any ugly and harmful rust formation is prevented.



Convenient and quick daily maintenance helps to keep cleaning performance constant



The solution and recovery tanks, in rotational polyethylene, are very strong and are both shock and rust resistant. The solution tank is positioned in the upper part of the machine so that effective and constant water flow onto the brushes is ensured. It is filled through a large opening, and it has a holding capacity of respectively 75 liters for Omnia 26 BT and 105 liters for Omnia 32 BT.

Stop&Go

The system for making cleaning operations more economical, optimizing consumption and reducing emissions

When the machine is temporarily idle, the solution flow is interrupted, the brushes are halted and the brush head is automatically lifted off the floor, with no need for operator intervention.

So that consumptions are optimized, and wastes reduced.

Pressing the forward movement button resets the functions that were previously activated.



Omnia: the ideal choice for your sector



Logistics



Industrial



Cleaning
Contractors



Large-Scale Retailing



Automotive



Transport



TECHNICAL DESCRIPTION		Omnia 26 BT	Omnia 32 BT
Solution tank	l	75	105
Recovery tank	l	85	115
Working width	mm	660	830
Squeegee width	mm	1015	1115
Working capacity up to	sq.m/h	2640	3320
Disc brush	(n.) mm	(2) 345	(2) 430
Brush pressure	Kg	80	80
Brush motor	V/W	36/1250	36/1250
Brush revolution/orbital	rpm	220	210
Vacuum motor	V/W	36/670	36/670
Suction vacuum	mbar	190	190
Traction	-	aut.	aut.
Traction motor	V/W	36/450	36/450
Forward speed	Km/h	0÷4	0÷4
Max gradient at full load	%	10	10
Batteries (n.)	V/Ah C5	36/270	36/270
Batteries weight	Kg	315	315
Machine dimensions (LxHxW)	mm	1600x1120x700	1650x1120x850
Machine weight (without batteries)	Kg	205	240
Sound pressure level (ISO 11201)	dB (A)	<70	<70

Comac Copyright

Ownership of the information and/or documents:

All information (by which we mean all data and information with the sole exception of that of common knowledge or which COMAC has disclosed without reserve) and all documents (drawings, photos, etc.) are the exclusive property of COMAC and their use does not mean there is any kind of acquisition of titles, property or exploitation of rights or licences except for the limited permission of use ruled by this document.

By way of example and, therefore, not limited to, such information and/or documents can be the following:

Marketing section:

high definition digital images for the implementation of commercial catalogues on paper or web sites, company trademarks, original graphical documents from which texts are taken (e.g. the descriptive notes), PDF documents and original documents in ppt format.

Professional use of the data:

It is a known fact that the information and/or documents, subject of this commitment, are and will be used by the beneficiary exclusively for carrying out his professional business and, therefore, no specific laws regarding consumer protection are applicable.

Confidentiality:

The Party that benefits from the information or use of documents taken from or, in any case, part of the commercial documentation, shall use all such information and/or documents with maximum care solely for the purposes connected to execution of this contract with COMAC and shall keep such information and/or documents confidential except for those, due to their nature, which are to be disclosed (promo-advertising material etc.);

shall not divulge any information and/or document to its suppliers, collaborators or employees beyond what is strictly necessary so that they may fulfil their tasks concerning relations with COMAC and shall ensure that the suppliers, collaborators and employees that have access to the information and/or documents are, in turn, bound by a confidentiality commitment to the benefit of COMAC; shall not divulge any information to third parties without the prior written consent by COMAC; copy and/or in any other way reproduce any information or document without the prior written consent of COMAC; take all the necessary measures to protect confidentiality.

Returning information and/or documents:

Whilst maintaining exclusive ownership at all times, COMAC has the right, at any time, to ask in writing or by e-mail, that all the information and/or documents received be returned or no longer used and within the term of thirty days from receipt of this request, all the information and/or documents must be returned, including any copies, or destroy such information and/or documents and relative copies so as to prevent them from being recovered and COMAC must be given a written declaration certifying that the information and/or documents have all either been returned or destroyed.

This obligation to return, destroy or no longer use is set automatically in motion when the relationship is cancelled with COMAC for any reason whatsoever.

Applicable law, cancelling clauses and Court having jurisdiction:

The interpretation, integration, execution and the effects of this commitment will be governed by Italian law.

If one or more points of this agreement are cancelled it does not invalidate the remaining points.

All disputes will be put to the exclusive jurisdiction of the Verona Courts.

COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, SA 8000:2014